

FIG. 1





FIG. 2





# FIG.4

		HIGHER NIBBLE															
		0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
LOWER NIBBLE	0	COMMON OPCS FOR DEVICE COMMAND/SUBDEVICE COMMAND	OPCS FOR DEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND	OPCS FOR SUBDEVICE COMMAND
	1																
	2																
	3																
	4																
	5																
	6																
	7																
	8																
	9																
	A																
	B																
	C																
	D																
	E																
	F																

20040201-24479001

# FIG.5

COMMAND				RESPONSE SIGNAL			
OPC		OPRs		OPC		OPRs	
CURRENT TIME	80	YEAR	XX	CURRENT TIME	80	YEAR	XX
		MONTH	XX			MONTH	XX
		DAY	XX			DAY	XX
		HOUR	XX			HOUR	XX
		MINUTE	XX			MINUTE	XX
		SECOND	XX			SECOND	XX

10661347.020402

FIG. 6




FIG. 7

